


4 SEASONS

# P70evo

multi tool

**MECHANICAL GEARBOX**  
belt transmission




**RUNNING SPEED**

2.1 Km/h		3.5 Km/h
1.1 Km/h		2.5 Km/h
		1.1 Km/h

2.1 Km/h		1.1 Km/h
1.1 Km/h		1.1 Km/h

**SEMI-PROFESSIONAL**



## P70evo

	B&S 850 E series	B&S 850 IS series	B&S 1000 Pxi	Euro 224.ohv	Euro R200.ohv
<b>ENGINE</b>	190 cc 3.7 kW Petrol	190 cc 3.7 kW Petrol	223 cc 4.2 kW Petrol	224 cc 4.4 kW Petrol	200 cc 3.5 kW Petrol

<b>STARTER</b>	recoil	electric	recoil	recoil	recoil
----------------	--------	----------	--------	--------	--------

**HANDLEBAR** reversible, laterally and vertically adjustable

**TRANSMISSION** gears and endless screw in oil bath and belts

**GEARS** machine configuration with front tool: 3 speed forward, 2 speed reverse  
machine configuration with rear tool: 2 speed forward, reverse

**PTO** vertical with belt

**SLOPE ENGINE**  optional kit consisting of ballast and motor coupling system to work laterally on steep terrain (up to 45°)

**STEERING SYSTEM** reversible

**DRIVE WHEELS** tyres, tractor profile with mechanical semi-differential (15x6.00-6")

<b>NET WEIGHT</b>	55 kg	58 kg	56 kg	58 kg	59 kg
-------------------	-------	-------	-------	-------	-------

**DIMENSIONS** 57x135x110(h)

 <b>GR. WEIGHT</b>	61-63 KG
 <b>PACKAGING</b>	88X56X61(H) CM
<b>PALLET</b>	90X120X195(H) CM / Q* 6PCS



**HANDLEBAR**  
laterally and vertically adjustable



**LEVERAGES**  
traction + tool coupling with integrated safety system



**HANDLEBAR**  
reversible with new quick adjustment system



**SLOPE ENGINE**  
kit with ballast for lateral use on steep terrain with a maximum slope of 45°



**DRIVEN WHEELS**  
tractor profile with mechanical semi-differential



The slope engine KIT allows, through the use of a ballast, the addition of a 25° rotation to the motor which means it can be used efficiently on steep terrain

**Patented system**  
**Ballast 11 KG**



**AS STANDARD**



**OPTIONAL**



**PATENTED**

4 SEASONS

# P70evo

multi tool

## NEW ! BRUSH CUTTER

<b>OPERATION</b>	self-winding head wire Ø3 mm with 4 outputs (20-40mm) capacity: 2 x 7.5m rolls
<b>WORK WIDTH</b>	60 cm
<b>ADJUSTMENTS</b>	<ul style="list-style-type: none"><li>• plate inclination 0-6°</li><li>• lateral to fixed positions: 0° - 15° - 30° - 45°</li></ul>
<b>TRANSPORT WHEELS</b>	-
<b>OTHER</b>	<ul style="list-style-type: none"><li>• handlebar control for wire extension</li><li>• protective barriers</li></ul>
<b>NET WEIGHT</b>	23 kg
<b>DIMENSION</b>	86x62x39(h) cm

 **G.WEIGHT 25 KG**  
**PACKAGING 73X71X42.5(H) CM - PALLET 80X120X225(H) CM / Q\* 5PCS**



## GRASSLAND MOWER


<b>OPERATION</b>	6 pivoting blades on a vertical cross rotor
<b>WORK WIDTH</b>	63 cm
<b>ADJUSTMENTS</b>	cutting height 5 - 8 cm with fixed positions
<b>TRANSPORT WHEELS</b>	-
<b>OTHER</b>	-
<b>NET WEIGHT</b>	25 kg
<b>DIMENSION</b>	68x92x48(h) cm

 **G.WEIGHT 30 KG - PACKAGING 92X69.5X42(H) CM - PALLET 92X70X210(H) CM / Q\* 5PCS**



## CUTTING BAR

<b>OPERATION</b>	double blade movement, two oscillating blades
<b>WORK WIDTH</b>	107 cm
<b>ADJUSTMENTS</b>	cutting height 2<->5.5 cm with skids
<b>TRANSPORT WHEELS</b>	-
<b>OTHER</b>	<ul style="list-style-type: none"> <li>grass spreader hood</li> <li>adjustable skids</li> </ul>
<b>NET WEIGHT</b>	23 kg
<b>DIMENSION</b>	111x68x30(h) cm

 **G.WEIGHT 26 KG - PACKAGING 112X38X32(H) CM PALLET 110X120X232(H) CM -Q\* 18PCS**

## OPTIONALS & TOOLS




**DOUBLE BLADE  
WITH ADJUSTABLE  
SKIDS**



## ROTAVATOR

<b>OPERATION</b>	16 curved riveted knives
<b>WORK WIDTH</b>	55 cm Ø32 cm
<b>ADJUSTMENTS</b>	work depth 0<->12.5 cm
<b>TRANSPORT WHEELS</b>	-
<b>OTHER</b>	adjustable spur
<b>NET WEIGHT</b>	24 kg
<b>DIMENSION</b>	55x78x58(h) cm

 **G.WEIGHT 27 KG - PACKAGING 67X58X42(H) CM PALLET 134X114X180(H) CM -Q\* 16PCS**



**TILLER WITH  
16 KNIVES**



## ROTARY SCYTHE

<b>OPERATION</b>	4 retractable pivoting blades
<b>WORK WIDTH</b>	64 cm
<b>ADJUSTMENTS</b>	fixed cutting height at 3.6 cm
<b>TRANSPORT WHEELS</b>	-
<b>OTHER</b>	rake kit (accessory)
<b>NET WEIGHT</b>	27 kg
<b>DIMENSION</b>	67x78x49(h) cm

 **G.WEIGHT 29 KG - PACKAGING 70X60X37(H) CM PALLET 80X120X197(H) CM -Q\* 10PCS**



**RAKE KIT  
(not included)**



4 SEASONS

# P70evo

multi tool

## TRANSPORT TANK


<b>OPERATION</b>	tilting sheet metal tank load-bearing capacity: 85 lt. - 75 kg
<b>WORK WIDTH</b>	-
<b>ADJUSTMENTS</b>	-
<b>TRANSPORT WHEELS</b>	tyres 20x7.5 cm
<b>OTHER</b>	140-litre tank extension with quick coupling system (optional)
<b>NET WEIGHT</b>	23.5 kg
<b>DIMENSION</b>	71x108x86(h) cm

 G.WEIGHT 26 KG - PACKAGING 88X56X61(H) CM - PALLET 90X120X195(H) CM / Q\* 6PCS



## FLAT TANK

<b>OPERATION</b>	flat platform in sheet metal with tilting plastic tank load-bearing capacity: 160 l - 75 kg
<b>WORK WIDTH</b>	-
<b>ADJUSTMENTS</b>	-
<b>TRANSPORT WHEELS</b>	tyres 20x7.5 cm
<b>OTHER</b>	-
<b>NET WEIGHT</b>	35 kg
<b>DIMENSION</b>	88x155x87(h) cm

 G.WEIGHT 38 KG - PACKAGING 111X66X71(H) CM - PALLET 114X134X225(H) CM / Q\* 6PCS



## HAY RAKE

<b>OPERATION</b>	7-comb belt with double tine
<b>WORK WIDTH</b>	100 cm
<b>ADJUSTMENTS</b>	work height via front wheels
<b>TRANSPORT WHEELS</b>	rubber
<b>OTHER</b>	hay holder strap adjustable
<b>NET WEIGHT</b>	90 kg
<b>DIMENSION</b>	152x218x130(h) cm




**HAY HOLDER**




**G.WEIGHT** 113.5 KG - **PACKAGING** 145X80X102(H) CM  
-**PALLET** 152X81X204(H) CM -**Q\*** 2PCS

## DETHATCHER

<b>OPERATION</b>	96 springs on rotor Ø25 cm
<b>WORK WIDTH</b>	60 cm
<b>ADJUSTMENTS</b>	-
<b>TRANSPORT WHEELS</b>	in rubber 20x5 cm
<b>OTHER</b>	-
<b>NET WEIGHT</b>	26 kg
<b>DIMENSION</b>	71x96x39(h) cm



**SPRINGS ROTOR**



**G.WEIGHT** 28.5 KG - **PACKAGING** 80X59X57(H) CM  
-**PALLET** 80X120X240(H) CM -**Q\*** 8PCS

## RIDGING PLOW

<b>OPERATION</b>	rear quick coupler
<b>WORK WIDTH</b>	29 cm
<b>ADJUSTMENTS</b>	-
<b>TRANSPORT WHEELS</b>	-
<b>OTHER</b>	-
<b>NET WEIGHT</b>	3 kg
<b>DIMENSION</b>	29x35x48(h) cm



**G.WEIGHT** 3.7 KG - **PACKAGING** 30X30X20(H) CM  
-**PALLET** 90X120X100(H) CM -**Q\*** 40PCS

4 SEASONS

# P70evo

multi tool

## SNOW THROWER


<b>OPERATION</b>	turbine with ice breaking propellers double-stage
<b>WORK WIDTH</b>	52 cm
<b>ADJUSTMENTS</b>	<ul style="list-style-type: none"><li>• height 2 – 3 cm</li><li>• 90° deflector</li><li>• 180° ejection flue</li></ul>
<b>TRANSPORT WHEELS</b>	-
<b>OTHER</b>	<ul style="list-style-type: none"><li>• flue control rod</li><li>• flue cleaner pipe</li></ul>
<b>NET WEIGHT</b>	44 kg
<b>DIMENSION</b>	61.5x189x93(h) cm

 **G.WEIGHT** 50 KG - **PACKAGING** 88x56x61(H) CM - **PALLET** 90x120x195(H) CM / Q\* 6PCS



## SNOW BLADE

<b>OPERATION</b>	adjustable blade with front attachment
<b>WORK WIDTH</b>	85 or 100 cm
<b>ADJUSTMENTS</b>	<ul style="list-style-type: none"><li>• height 0-2 cm</li><li>• lateral orientation <math>\pm 30^\circ</math></li></ul>
<b>TRANSPORT WHEELS</b>	-
<b>OTHER</b>	rubber shock-proof strip
<b>NET WEIGHT</b>	20 – 32 kg
<b>DIMENSION</b>	85x126x109 (h) cm 100x126x109(h) cm

 **G.WEIGHT** 22 KG - **PACKAGING** 90x29x45(H) CM - **PALLET** 90x120x192(H) CM / Q\* 16PCS

 **G.WEIGHT** 34 KG - **PACKAGING** 101x29x46(H) CM - **PALLET** 90x120x196(H) CM / Q\* 12PCS



## VACUUM - BLOWER

<b>OPERATION</b>	suction fan + blower pipe
<b>WORK WIDTH</b>	78 cm
<b>ADJUSTMENTS</b>	height 2<-> 6.4 cm
<b>TRANSPORT WHEELS</b>	rubber pivoting
<b>OTHER</b>	<ul style="list-style-type: none"> <li>• 185 l removable bag</li> <li>• blower Ø10x250 cm</li> </ul>
<b>NET WEIGHT</b>	46.5 kg
<b>DIMENSION</b>	86x149x152(h) cm




BLOWER PIPE

**G.WEIGHT 52 KG - PACKAGING 120X80X95(H) CM**  
**-PALLET 80X120X190(H) CM -Q\* 2PCS**

## BRUSH

<b>OPERATION</b>	polypropylene brush Ø30 cm
<b>WORK WIDTH</b>	88 cm
<b>ADJUSTMENTS</b>	lateral ±25°
<b>TRANSPORT WHEELS</b>	rubber pivoting
<b>OTHER</b>	removable holders (x2)
<b>NET WEIGHT</b>	44 kg
<b>DIMENSION</b>	79x183x78(h) cm



HOLDER  
(x2)

**G.WEIGHT 50 KG - PACKAGING 107X89X52(H) CM**  
**-PALLET 90X120X220(H) CM -Q\* 4PCS**

## ECO SPRAYER

<b>OPERATION</b>	12V 4.1 bar pump batteries (x2) 12V 5A/h
<b>TANK</b>	50 litres
<b>COMPATIBLE LIQUIDS</b>	water, cryoform, fertilisers, pesticides
<b>TRANSPORT WHEELS</b>	tyres 20x7.5 cm
<b>OTHER</b>	<ul style="list-style-type: none"> <li>• handwashing tank</li> <li>• lance</li> <li>• hose 9 m</li> </ul>
<b>NET WEIGHT</b>	41 kg
<b>DIMENSION</b>	71x149x111(h) cm



SPRAYER LANCE

**G.WEIGHT 43 KG - PACKAGING 114X134X71(H) CM**  
**-PALLET 114X134X230(H) CM -Q\* 6PCS**